

# CITYBAC® CLASSIC 1100L DL



**SULO®**

# Citybac® 1100L Dome Lid



## PRODUCT DETAILS



- 1 Dome Lid
- 2 Handle / recessed grip
- 3 Lid handles lateral 2x
- 4 Finger guard
- 5 Marking areas
- 6 Lid opening pegs 2x
- 7 Lid hinge 2x
- 8 Push-buttons to close the domed lid

- A Body
- B DIN comb lifting system, double stage
- C Stacking ribs
- D SULO sticker / Marking areas
- E Ergonomic handles lateral 4x
- F Chip nest as standard
- G Lifting trunnion
- H Functional castors 2x
- I Double stop break 2x
- J Castors 2x



**DOMED LID****Dimensions (mm)**

<b>A</b> Height total ~	1460
<b>B</b> Upper comb edge ~	1205
<b>C</b> Bin depth ~	1210
<b>D</b> Width total ~	1370

**Weights**

Nominal volume (L)	1100
Empty weight (kg) ~	60
Max. filling weight (kg) ~	440
Max. total weight (kg) ~	51

**DOMED LID WITH LID-IN-LID****Dimensions (mm)**

<b>A</b> Height total ~	1460
<b>B</b> Upper comb edge ~	1205
<b>C</b> Bin depth ~	1210
<b>D</b> Width total ~	1370

**Weights**

Nominal volume (L)	1100
Empty weight (kg) ~	60
Max. filling weight (kg) ~	440
Max. total weight (kg) ~	51

# Citybac® 1100L Dome Lid

## PRODUCT DETAILS

### COLOURING

Bin bodies made from 100 % recycled material with a minimum of 60 % post-consumer recycled material.



GREY  
RAL 7021  
AT

ECO FRIENDLY   


Perfectly set in scene with coloured **lids** for fraction identification



GREY  
RAL 7021  
AT



GREEN  
RAL 6011  
VJ



BROWN  
RAL 8025  
MR



BLUE  
RAL 5023  
BN



YELLOW  
RAL 1018  
JA



RED  
RAL 3000  
RN

### ALTERNATIVE COLOURS FOR THE BIN BODY



GREEN  
RAL 6011  
VJ

ECO FRIENDLY   




BROWN  
RAL 8025  
MR

ECO FRIENDLY   




BLUE  
RAL 5023  
BN

ECO FRIENDLY   




YELLOW  
RAL 1018  
JA

ECO FRIENDLY   


Colours may vary due to production. The colour values given according to RAL are guide colours.

# + OPTIONS

## LID-IN-LID



front lid available in the colours



Lid-in-Lid

## LID SLOT SYSTEMS

Glass



2x Round slot with rubber rosette  
Ø 150 mm

Paper



Opening Slot  
530 x 95 mm



Paper Inlet Hood  
**BLUE**

## LIFTING SYSTEMS



Fork lift device



Lifting trunnions



Lateral handles 2x



Rear handles  
2x

## HANDLES

## TRANSPORT



Towing system

## LID OPENING



Lid opening device,  
foot execution

## NOISE REDUCTION SYSTEMS



Lid Opening Noise  
Reduction



Lid closing damper

## CHASSIS



Plastic rim,  
Rubber wheel  
Ø 200 mm



Plastic rim,  
Rubber wheel  
Ø 200 mm,  
non-marking




Steel rim,  
ball bearing,  
Rubber wheel  
Ø 200 mm



Double stop (DS)



Central locking  
device (ZF)



Steering lock

## LOCKING SYSTEMS



Triangular Locks  
with / without open  
position



Padlock Fixtures



Cylinder lock with  
automatic function



Cylinder lock without  
automatic function

# Citybac® 4Wheel

## TECHNICAL INFORMATION

1.100 LITRE DL

### MATERIAL OPTIONS

Extra UV protection

### COLOURS

Standard colours

Other colours

### LID SYSTEMS

Flat lid

Flat lid with Lid-in-Lid (LiL)

Dome lid

Dome lid with Lid-in-Lid (LiL)

### LIFTING SYSTEMS

EN 840 / DIN DIN Comb

Lifting trunnions

Lifting handles 2x

Rear handles

Fork lift device

### WATER DRAIN

Water drain

Without water drain

### TRANSPORT

Towing system with or without bar

### LID SLOT SYSTEMS

#### Packaging

Lid-in\_lid 2x, small Lid only available in Yellow RAL 1018

#### Glass

2 x Round slot with rubber rosette Ø 150 mm

#### Paper

Paper slot: 530 x 95 mm

Paper Inlet Hood Blue

### LID OPENING

Lid opening device, foot execution

### NOISE REDUCTION SYSTEMS

Lid opening noise reduction

Lid closing damper

### CHILD SAFETY

Comfort

Basic

Light

## 1.100 LITRE DL

### CHASSIS

Plastic rim, Rubber wheel Ø 200 mm	■
Plastic rim, Rubber wheel Ø 200 mm, non-marking	■
Steel rim, ball bearing	■
Castor	■
Double stop (DS)	■
Central locking device (ZF)	■
Steering lock	■

### LOCKING SYSTEMS

Padlock device 1x	
Padlock device 2x	■
<b>Triangular Lock</b>	
with open position	■
without open position	■
<b>Cylinder lock without automatic function</b>	
same key locking	■
group key locking	■
different key locking	■
<b>Cylinder lock with automatic function</b>	
same key locking	■
group key locking	■
different key locking	■

### CHIP INSTALLATION

RFID chip, installation without barcode sticker	■
RFID chip, installation with barcode sticker	■

### RFID CHIP

Transponder 134kHz HDX + HID Inlay casted	■
Transponder 134kHz FDX casted	■
Transponder 134kHz FDX riveted	■
Transponder 134kHz HDX + glass	■
Transponder 125kHz FDX casted	■
Transponder 125kHz FDX riveted	■
Transponder 13,56 MHz	■

### LABELLING

#### Body

SULO sticker	■
Customer sticker	■
Hot foil stamping	■
Running numbers (colourless / black / white)	■

#### Lid

SULO sticker	■
Screen printing	■
Hot foil stamping	■
Running numbers (colourless / black / white)	■
Embossing insert	■

- Standard
- Option

**sulo.com**

DATA-CITYBAC-1100L-DL-C-HF-EN-1-0-021221

**SULO®**