

# CITYBAC®

## 120L



**SULO®**

# Citybac® 120L


## PRODUCT DETAILS



- 1 Standard Lid
- 2 Handles 2x
- 3 Lid rivet 2x
- 4 Marking areas

- A Body
- B Continuous handle bar
- C DIN comb lifting system, double stage
- D SULO sticker / Marking areas
- E External wheels
- F Chip nest as standard
- G Lateral grip surfaces with wave profile



**STANDARD LID****Dimensions (mm)**

<b>A</b> Height total ~	933
<b>B</b> Comb height ~	871
<b>C</b> Bin depth ~	550
<b>D</b> Width total ~	500
<b>E</b> Wheel diameter ~	200

**Weights**

Tubular axle	
Nominal volume (L)	120
Empty weight (kg) ~	8,9
Max. filling weight (kg) ~	48
Max. total weight (kg) ~	60

**CLIP LID****Dimensions (mm)**

<b>A</b> Height total ~	934
<b>B</b> Comb height ~	871
<b>C</b> Bin depth ~	550
<b>D</b> Width total ~	500
<b>E</b> Wheel diameter ~	200

**Weights**

Tubular axle	
Nominal volume (L)	120
Empty weight (kg) ~	8,9
Max. filling weight (kg) ~	48
Max. total weight (kg) ~	60

# Citybac® 120L

## PRODUCT DETAILS

### COLOURING

**Bin bodies** made from 100 % recycled material with a minimum of 60 % post-consumer recycled material.



GREY  
RAL 7021  
AT  
ECO FRIENDLY  
■ ■ ■ ■ ■

Perfectly set in scene with coloured **lids** for fraction identification



GREY  
RAL  
7021  
AT



GREEN  
RAL  
6011  
VJ



BROWN  
RAL  
8025  
MR



BLUE  
RAL  
5023  
BN



YELLOW  
RAL  
1018  
JA



RED  
RAL  
3000  
RN

### ALTERNATIVE COLOURS FOR THE BIN BODY



GREEN  
RAL  
6011  
VJ

ECO FRIENDLY  
■ ■ ■ ■ ■



BROWN  
RAL  
8025  
MR

ECO FRIENDLY  
■ ■ ■ ■ ■



BLUE  
RAL  
5023  
BN

ECO FRIENDLY  
■ ■ ■ ■ ■



YELLOW  
RAL  
1018  
JA

ECO FRIENDLY  
■ ■ ■ ■ ■

**FRACTION MARKING**



Clip available in the colours



Label for Clip Lid, individual printing possible

**BIO-FILTER LID**



Lid available in the colours



Bio-filter lid - with active bio-filter material

**LID SLOT SYSTEMS**

Glass



Round slot with rubber rosette Ø 150 mm

Paper



Opening Slot 250 x 30 mm

**PEDAL**



Opening by pushing the foot pedal

**NOISE REDUCTION SYSTEMS**



Lid Opening Noise Reduction



Lid closing damper

**WHEELS**



Ø 200 mm Wheel



Ø 250 mm Wheel



Triangular Locks



Padlock Fixtures



Cylinder lock with automatic function



Cylinder lock without automatic function

**LOCKING SYSTEMS**

# Citybac® Wasser2Rad

## TECHNISCHE INFORMATIONEN

120 LITER

### MATERIAL OPTIONS

Extrastärkeperle-Verschleißschutz



### COLOURS

Standard Farben



Andere Farben



### LID SYSTEMS

Standard Deckel



Clip Deckel (RED 2R02)



Design Deckel

Silent Deckel

Butterfly Deckel (Zweiwegedeckel)

Bio-Filterdeckel



Kabelschliff mit Clip-Deckelklippentrippe-Beleuchtung möglich



### LIFTING SYSTEMS

EN 840 / DIN Kombinaufnahme



### LID SLOT SYSTEMS

#### Glass

150 mm slot in 16 mm Glas mit 150 mm Setze



#### Papier

Papier-Slitz 250 x 30 mm



Papier-Slitz 300 x 30 mm

Papier-Slitz 300 x 60 mm

Papier-Paperinhalte-Headblue

#### Verpackung

Deckel-Lid-Deckel (DID)

### LID OPENING SYSTEM

Deckelöffnungssystem (D06)pedal



### NOISE REDUCTION SYSTEMS

Deckelbegrenzungsabsorption



Deckelungsbegämpfung



### VARIO SYSTEM

VARIO Behälter in Behälter 40L Einsatz 40L



VARIO Behälter in Behälter 60L Einsatz 60L



VARIO Behälter in Behälter 80L Einsatz 80L



### CHASSIS

Roburachse



Vollachse



120 LITER

**WHEELS**

Ø 200 mm	■
Ø 250 mm	■
Ø 300 mm	

**LOCKING SYSTEMS**

Partiellkubny für Morhängeschloss 1x	■
--------------------------------------	---

**Dreikantschloss**

with Offensperlsicherung	■
with Offensperlsicherung	■

**Zylinderschloss mit Automatikfunktion**

gärchschlüssel	■
grappérschlüssel	■
differebiere schlüssel	■

**Zylinderschloss mit Automatikfunktion**

gärchschlüssel	■
grappérschlüssel	■
differebiere schlüssel	■

**CHIP INSTALLATION**

RFID-Chip installiert ohne Barcode-Aufkleber	■
RFID-Chip installiert mit Barcode-Aufkleber	■

**RFID CHIP**

Transponder 134kHz HDX + HID Inlay veredert	■
Transponder 134kHz FDX veredert	■
Transponder 134kHz FDX Sütsackelniet	■
Transponder 134kHz HDX + Glass	■
Transponder 125kHz FDX veredert	■
Transponder 125kHz FDX Sütsackelniet	■
Transponder 13,56 MHz	■

**LABELLING**

**Body**

SULO Aufkleber	■
Kustmaufkleber	■
Helfsprägung	■
Raumfeindernummer (faoblessschwarz/weiß)	■

**Deckel**

BUhDest Aufkleber	■
Helfsprägung	■
Raumfeindernummer (faoblessschwarz/weiß)	■
Brückesprägeresatz	■
Brückenaufkleber (Clip Deckel)	■

■ Standardführung  
 ■ Option

[sulo.com](https://sulo.com)

DATA-CITYBAC-120L-C-HF-EN-1-0-021221

**SULO**<sup>®</sup>