# CITYBAC® 140L



**SULO**<sup>®</sup>


# Citybac® 140L PRODUCT DETAILS








- 1 Design Lid
- 2 3-sided all-round handle strip
- 3 Marking areas
- **A** Body
- **B** Handle bar
- **C** DIN comb lifting system, double stage
- **D** Marking areas
- **E** External wheels
- F Chip nest as standard
- **G** Lateral grip surfaces









#### **DESIGN LID**

#### **SILENT LID**

Dimensions (mm)

#### Dimensions (mm)

A Height total ~	1070	A Height total ~
B Comb height ~	892	B Comb height ~
C Bin depth ~	560	C Bin depth ~
D Width total ~	480	D Width total ~
E Wheel diameter ~	200	E Wheel diameter ~

#### Woight

Weights		Weights	
Nominal volume (L)	140	Nominal volume (L)	140
Empty weight (kg) ~	9,9	Empty weight (kg) ~	9,9
Max. filling weight (kg) ~ EN 840 Norm	56	Max. filling weight (kg) ~ EN 840 Norm	56
Max. total weight (kg) ~	70	Max. total weight (kg) ~	70

Dimensions may vary due to production conditions. The specified empty weights are rounded average based on the standard specifications. The actual weight may be different as a result of production conditions and specifications.

## Citybac® 140L

## **PRODUCT DETAILS**

#### **COLOURING**





**Bin bodies** made of up to 100 % post-consumption recyclate. We are able to achieve an average share of 70 % domestic recyclate (packaging, caps) and 30 % nondomestic (bins, industrial scrap, pallets)

#### **100% RECYCLED MATERIAL**













#### **VIRGIN MATERIAL**





















#### **ALTERNATIVE COLOURS FOR THE BIN BODY**














## **+** OPTIONS

#### **FRACTION MARKING**



Label for Silent and Design Lid, individual printing possible


#### **LID SLOT SYSTEMS**

#### Packaging



Lid-in-Lid, small Lid always in Yellow

#### Glass



Round slot with rubber rosette Ø 150 mm, lock or bolt required

#### Paper



Paper hood for newspapers and magazines in **Blue RAL 5023** 

#### **NOISE REDUCTION**



Plastic damper spring for the wheels

#### **ACCESSORIES**



Fixed position



Lid opening via pedal

#### **WHEELS**



Lightweight, recycled and recyclable Ø 200 mm wheels



Clip available in the colours

Solid rubber Ø 200 mm wheels



Solid rubber Ø 250 mm wheels

#### **LOCKING SYSTEMS**



Automatic lock with triangular key



Automatic lock with individual key



Automatic bolt



Manual lock with individual key



Manual lock with triangular key

# Citybac® 2-Wheel TECHNICAL INFORMATION

	140 LITRE
LIFTING SYSTEM	·
DIN COMB	•
LID TYPE	
Standard	
Silent	•
Design	•
Butterfly horizontal	
LID SLOT SYSTEMS	
Paper	Design
Slot for confidential paper	Design
Glass	Design
Packaging	Design
Household waste	Design Silent
Clips	•
NOISE REDUCTION	
Plastic damper	
LOCKING SYSTEMS	
Manual lock	Design
Automatic lock	Design
Automatic bolt	Design
Padlock device	•
DIVIDER WALL	
Vertical 40/60	
Vertical 50/50	
Vertical 60/40	•
Horizontal 40/60	
Horizontal 60/40	

	140 LITRE
HANDLES (NOT AVAILABLE ON MSTS)	·
Side handle	
WHEELS DIAMETER (HOLLOW OR SOLID AXLE)	
ø 200 mm	•
ø 250 mm	•
ø 300 mm	
ACCESSOIRES	
Lid opening via pedal	Silent
Poste fixe	Design Silent
ANTI-ODOUR	
Anti-odour	•
LABELLING	
Photo injection on the lid	Design Silent
Sticker	•
Embossing insert on the lid	•
Hot foil stamping	•
IDENTIFICATION	
RFID Chip	•
Specific numbering	-

sulo.com

