CITYBAC® 770L





Citybac[®] 770L **PRODUCT DETAILS**









- 1 Flat Lid
- 2 Handle / handle recess3 Handles with handle
- bar, rear 2x
- 4 Marking areas
- A Body
 - **B** DIN comb lifting system, double stage
- **C** Stacking ribs
- **D** Marking areas
- **E** Ergonomic handles lateral 4x
- F Chip nest as standard
- **G** Functional castors 2x
- H Swivel castors 2x









STANDARD LID

Dimensions (mm)

A	Height total ~	1320
В	Comb height ~	1215
С	Bin depth ~	775
D	Width total ~	1265

Weights

Volume nominal (L)	770
Empty weight (kg) ~ EN 840 Norm	39,6
Max. filling weight (kg) ~	308

Citybac[®] 770L **PRODUCT DETAILS**

COLOURING





Bin bodies made of up to 100 % post-consumption recyclate. We are able to achieve an average share of 70 % domestic recyclate (packaging, caps) and 30 % nondomestic (bins, industrial scrap, pallets)

100% RECYCLED MATERIAL

RAL 7021	RAL 7011	RAL 6011	RAL 6009	RAL 8025	RAL 5023
VIRGIN MATERIA	L				
RAL 9010	RAL 7038	RAL 5015	RAL 5005	PANTONE 5395C	RAL 3974GN
PANTONE 167 C	RAL 3000	RAL 3005	RAL 1018		
ALTERNATIVE CO	DLOURS FOR THE I	BIN BODY			
GREEN RAL 6011 VJ CIRCULAR ECO	BROWN RAL 8025 MR CIRCULAR ECO	BLUE RAL 5023 BN CIRCULAR ECO	RED RAL 3000 RN CIRCULAR ECO	ORANGE PANTONE 167 C OF CIRCULAR ECO	YELLOW RAL 1018 JA CIRCULAR ECO

Other colours and colour combinations available on request, subject to sufficient order quantities. Colours may vary due to production. The colour values given according to RAL are guide colours.



FRACTION MARKING




Clip available in the colours

Label for Lid, individual printing possible

NOISE REDUCTION DRAINAGE

LID SLOT SYSTEMS

Packaging



Lid-in-Lid, small Lid always in Yellow RAL 1018

Ø 150 mm, lock or bolt required **LIFTING DEVICES**



Round slot with

rubber rosette

Glass



Paper hood for newspapers and magazines in **Blue** RAL 5023

Paper

Cardboard



Paper hood XXL for cardboards





Drain plug

Front

OPENING AND TRANSPORT SYSTEMS



Trunnions



Metal trunnions

ACCESSORIES

Lid closing damper



Fixed position with handle at the back of the body



Lid opening via pedal



Rim reinforcement



Bottom

reinforcement

Towbar



Forklift device

CHASSIS



Ø 160 mm Wheel-Swivel castor



Ø 160 mm Wheel -Castor with brake



Ø 200 mm Wheel-Swivel castor



Ø 200 mm Wheel -Castor with brake



Steering lock (can be fitted to any type of castor)



12 km/h reinforced wheel

LOCKING SYTSEMS



Automatic lock with triangular key



Automatic lock with individual key



Automatic bolt



Manual lock with triangular key



Citybac[®] 4-Wheel TECHNICAL INFORMATION

	770 LITRE
LIFTING SYSTEM	
DIN COMB	
LID TYPE	
Standard	
Domed	
LID SLOT SYSTEMS	
Paper hood	
Paper hood XXL for cardboards	•
Round slot with rubber rosette Ø 150 mm,	•
Lid-in-Lid,	•
Clip	•
NOISE REDUCTION	
Plots	•
Lid Opening Noise Reduction	
LOCKING SYTSEMS	
Manual lock	•
Automatic lock	•
Automatic bolt	•
LIFTING DEVICES	
Front	•
Swiss	•
Trunnions	•
Trunnions with metal sleeve	
Forklift device	•
Metal trunnions	•
CHASSIS	
Standard castors ø 160	•
Standard castors ø 200	•
12km/h reinforced wheel ø 160	•
12km/h reinforced wheel ø 200	•
Non-marking wheels ø 160	•
Non-marking wheels ø 200	

	770 LITRE
ACCESSOIRES	,
Lid opening via pedal	Standard
Fixed position with handle at the back of the body	Standard
Rim reinforcement	CEN A
Bottom reinforcement	CEN A
Towbar	CEN A
DRAIN PLUG	
Drain plug	•
ANTI-ODOUR	
Anti-odour	•
LABELLING	
Photo injection on the lid	Standard
Sticker	•
Embossing insert	Standard
Hot foil stamping	•
IDENTIFICATION	
RFID Chip	•
Specific numbering	

sulo.com



DATA-CITYBAC-770L-LA-EN-1-0-201221