

# CITYSPOT®

## AZTECA



**SULO®**

**STACKABLE, MODERN DESIGN**

# Azteca




-  DISABILITY ACCESS
-  VERTICAL
-  100% MADE OF RECYCLED LLDPE
-  LEVEL MEASUREMENT

**This cosmopolitan bank can easily be stacked and transported to the most remote places in the world.**

- Attractive functional design, inspired by ancient cultures
- The upwardly tapering body with easily accessible inserts enable an optimized filling level
- Made of roto-moulded LDPE
- Increased weather and UV-resistance, shock and break-proof
- The harmonious sequence of reliefs and smooth surfaces guarantees effective protection against graffiti and bill-posting.
- The geometry makes a special contribution to the reduction of the carbon footprint.
- Up to 9 banks can be stacked together.



**TECHNICAL SPECIFICATIONS**



**Azteca 3 m<sup>3</sup>**

Dimensions ~ (mm)*		Volumes*	
A Width	1940	Useful Volumes ~ (m <sup>3</sup> )	2,75
B Height	1880	Unloaded weight (kg)	130
C Depth	1310	Maximum weight (kg)	1200
D Height from the ground	1530	Space requirements (m <sup>2</sup> )	2,54
E Height for reduced mobility	900		

**LIFTING DEVICES**



Single Hook      Double Hook      Kinshofer

**SLOT SYSTEMS**













Glass      Packaging/Paper      Big Producer Flap, Extended Sorting Instructions (no lock)

**PERSONALISATION**



On demand (example)

**COLOURS\*\***

				
English Green Pantone 5535 C	Ash Green Pantone Q752-3-2	Chromic Oxide Green RAL 6020	Flint Grey Pantone Q710-3-2	Pearl Grey Pantone Grey 6 C
				
Dark Grey Pantone Grey 11 C	Charcoal Grey Pantone Q728-1-2	Walnut Brown Pantone Q710-1-2	Chocolate Brow RAL 8019	Navy Blue Pantone 296 C

\* data for product with kinshofer

\*\* all of the colours on demand

# TECHNICAL INFORMATION

## AZTECA

3 m³

### TECHNICAL SPECIFICATIONS

<b>Dimensions</b>	Depth: 1310 mm, Width: 1940 mm, Height: 2170 mm
<b>Height of holes from the ground</b>	±1530 mm
<b>Height of the openings for reduced mobility from the ground</b>	900 mm
<b>Useful volumes</b>	2,75 m³
<b>Unloaded weight</b>	130 kg
<b>Maximum weight</b>	1200 kg
<b>Lifting device</b>	Double Hook, Klinshofer

### Flap Opening Volume

### INSTALLATION

<b>Space requirements</b>	2,54 m²
<b>Transport</b>	10 per truck in mounted version and 54 in ckd version SEAVAN 40 HC / in ckd version 81 per truck

### HANDLING, COMFORT AND FLEXIBILITY

<b>Compactor</b>	-
<b>Reduce mobility</b>	▪
<b>Foot pedal</b>	-
<b>Sound-proofing</b>	Optional: 20 mm thick closed cell PE foam attached to the flaps

### EMPTYING

<b>Number of operators</b>	†
<b>Duration of emptying</b>	1-2 min
<b>Cost of emptying</b>	€
<b>Emptying system according prehension grip</b>	Double flap, vertical

## AZTECA

3 m³

### SERVICE

<b>Pay as you throw billing</b>	-
<b>Access control</b>	-
<b>Level measurement</b>	■

### FRACTIONS

<b>Regular waste</b>	-
<b>Paper</b>	600 x 150 mm with rubber flap
<b>Packaging</b>	600 x 150 mm with rubber flap
<b>Cardboard</b>	-
<b>Glass</b>	EPDM flap - Ø200 mm port
<b>Extended sorting instructions</b>	-

### Big user flap

Internal dimensions: 426 x 355 mm External dimensions: 476 x 430 mm

### STANDARDS

NF EN 13071

**sulo.com**

DATA-CITYSPOT-AZTECA-EN-1-1-150322

**SULO®**