

CITYSPOT®

CITYBULLE 4 M³



SULO®

EXTREMELY POPULAR AND VARIABLE

Citybulle 4 m³




-  DISABILITY ACCESS
-  VERTICAL
-  100 % MADE OF RECYCLED LLDPE
-  LEVEL MEASUREMENT

Approved over decades this variable recycling bank makes use of even the smallest spaces thanks to its optimal shape.

- Popular because of timeless design and practical functionality
- Suitable for efficient use of the smallest areas for waste collection
- Easy configuration for all important waste sorting functions
- Multiple options to ease the use: e.g. noise reduction for glass, special flap for major consumers
- Easy to be used by people with limited mobility
- Smallest shape for 3 m³ volume available on the market



TECHNICAL SPECIFICATIONS



Citybulle 4 m³

Dimensions ~ (mm)*		Volumes*	
A Width	2000	Useful Volumes ~ (m ³)	3,30
B Height	1600	Unloaded weight (kg)	250
C Depth	1400	Maximum weight (kg)	1570
D Height from the ground	1450	Space requirements (m ²)	2,8
E Height for reduced mobility	1180		

LIFTING DEVICES



Single Hook

Kinshofer

PERSONALISATION













Sorting out instruction (example)

SLOT SYSTEMS



- Glass**
Green
RAL 6010-6018
- Packaging**
Zink Yellow
RAL 1018
- Residual Waste**
Iron Grey
RAL 7011
- Paper/ Cardboard**
Sky Blue
RAL 5015
- Big Producer Flap,
Extended sorting
instructions (no lock)
- Big Producer Flap,
Glass

COLOURS**

- 
English Green
Pantone 5535 C
- 
Ash Green
Pantone Q752-3-2
- 
Chromic Oxide Green
RAL 6020
- 
Flint Grey
Pantone Q710-3-2
- 
Pearl Grey
Pantone Grey 6 C
- 
Dark Grey
Pantone Grey 11 C
- 
Charcoal Grey
Pantone Q728-1-2
- 
Walnut Brown
Pantone Q710-1-2
- 
Chocolate Brow
RAL 8019
- 
Navy Blue
Pantone 296 C

* data for product with kinshofer

** all of the colours on demand

CITYBULLE

4 m³

TECHNICAL SPECIFICATIONS

Dimensions	Single Hook Depth: 1560 mm, Width: 2000 mm, Height: 1600 mm
	Kinshofer Depth: 1400 mm, Width: 2000 mm, Height: 1600 mm
Height of holes from the ground	1450 mm
Height of the openings for reduced mobility from the ground	1180 mm
Useful volumes	3,30 m³
Unloaded weight	250 kg
Maximum weight	1570kg
Lifting device	Single Hook , Kinshofer
Flap Opening Volume	Single Hook simple flap: 82,2 litres, Kinshofer double flap: 168 litres
INSTALLATION	
Space requirements	2,8 m²
Transport	9 units per truck
HANDLING, COMFORT AND FLEXIBILITY	
Compactor	-
Reduce mobility	■
Foot pedal	-
Sound-proofing	Installation of an insulating polyethylene foam
EMPTYING	
Number of operators	†
Duration of emptying	1-2 min
Emptying system according prehension grip	Single flap, vertical

CITYBULLE

4 m³

SERVICE

Pay as you throw billing	-
Access control	-
Level measurement	■
FRACTIONS	
Regular waste RAL 7011	545 x 365 mm
Paper RAL 5015	115 x 350 mm
Packaging RAL 1018	Ø 150 standard orifice 115 x 350 mm; brush hole 320 x 230 mm
Cardboard RAL 5023	115 x 350 mm
Glass RAL 6010-6018	Diameter 150 mm
Extended sorting instructions RAL 1018	Big user flap with shutter without lock
Big user flap	Internal dimensions: 426 x 355 mm, External dimensions: 476 x 430 mm
STANDARDS	
	NF EN 13071

■ Standard
 ■ Option

sulo.com

DATA-CITYSPOT-CITYBULLE-4000-EN-1-1-150322

SULO®