

# CITYSPOT®

## HUBLO 3 M<sup>3</sup>



**SULO®**

THE AESTHETIC WAY TO INSPIRE SORTING

# Hublo 3 m<sup>3</sup>




-  DISABILITY ACCESS
-  VERTICAL
-  100 % MADE OF RECYCLED LLDPE
-  LEVEL MEASUREMENT

The modern, minimal design of this efficient recycling bank upgrades every urban sorting area

- Any impression of massiveness is avoided
- Increased weather resistance, shock and break-proof
- Excellent aging characteristics
- Several top and bottom panels on both front sides facilitate the barrierfree use for older people and children
- Maximal vandal resistant finish, because grainy surfaces make it difficult for stickers and posters to adhere



TECHNICAL SPECIFICATIONS



Hublo 3 m<sup>3</sup>

Dimensions ~ (mm)*		Volumes*	
A Width	1636	Useful Volumes ~ (m <sup>3</sup> )	2,75
B Height	1920	Unloaded weight (kg)	180
C Depth	1438	Maximum weight (kg)	2500
D Height from the ground	1565	Space requirements (m <sup>2</sup> )	2,36
E Height for reduced mobility	900		

LIFTING DEVICES



Single Hook      Kinshofer

PERSONALISATION













Sorting out instruction (example)

SLOT SYSTEMS



<b>Glass</b> Green RAL 6010-6018	<b>Packaging</b> Zink Yellow RAL 1018	<b>Paper</b> Sky Blue RAL 5015	<b>Residual Waste</b> Iron Grey RAL 7011	<b>Extended sorting instructions</b> Zink Yellow RAL 1018	<b>Big user Flap</b>
--	---	--------------------------------------	--	---	----------------------

COLOURS\*\*

				
English Green Pantone 5535 C	Ash Green Pantone Q752-3-2	Chromic Oxide Green RAL 6020	Flint Grey Pantone Q710-3-2	Pearl Grey Pantone Grey 6 C
				
Dark Grey Pantone Grey 11 C	Charcoal Grey Pantone Q728-1-2	Walnut Brown Pantone Q710-1-2	Chocolate Brow RAL 8019	Navy Blue Pantone 296 C

\* data for product with kinshofer

\*\* all of the colours on demand

**HUBLO**

3 m<sup>3</sup>

**TECHNICAL SPECIFICATIONS**

<b>Dimensions</b>	Single Hook Depth: 1600 mm, Width: 1636 mm, Height: 2200 mm
	Kinshofer Depth: 1438 mm, Width: 1636 mm, Height: 2180 mm
<b>Height of holes from the ground</b>	1565
<b>Height of the openings for reduced mobility from the ground</b>	900
<b>Useful volumes</b>	2,75 m <sup>3</sup>
<b>Unloaded weight</b>	Single Hook: 180 kg, Kinshofer: 180 kg
<b>Maximum weight</b>	1755 kg
<b>Lifting device</b>	Single Hook, Kinshofer, on demand = double hook
<b>Flap opening volume</b>	Single Hook simple flap: 60 litres
	Kinshofer double flap: 100 litres

**INSTALLATION**

<b>Space requirements</b>	2,36 m <sup>2</sup>
<b>Transport</b>	Truck: 8 with single hook or 9 with kinshofer and double hook depending on unloading facilities on site (8 only if tailgate)

**HANDLING, COMFORT AND FLEXIBILITY**

<b>Compactor</b>	-
<b>Reduce mobility</b>	■
<b>Pedal</b>	-
<b>Sound-proofing</b>	Option: Glass soundproofing

**EMPTYING**

<b>Number of operators</b>	1
<b>Duration of emptying</b>	1-2 min
<b>Cost of emptying</b>	€
<b>Emptying system according prehension grip</b>	Single flap, double flap, vertical

**HUBLO**

3 m<sup>3</sup>

**SERVICE**

<b>Pay as you throw billing</b>	-
<b>Access control</b>	-
<b>Level measurement</b>	■

<b>FRACTIONS</b>	
<b>Regular waste RAL 7011</b>	EPDM bib 500 x 230 mm strips
<b>Paper RAL 5015</b>	EPDM flap 350 x 150 mm
<b>Packaging RAL 1018</b>	EPDM flap 350 x 150 mm
<b>Cardboard RAL 5023</b>	-
<b>Glass RAL 6010-6018</b>	EPDM flap - Ø 200 mm hole
<b>Extended sorting instructions RAL 1018</b>	EPDM flap 400 x 200 mm
<b>Big user flap</b>	Internal dimensions: 426 x 355 mm External dimensions: 476 x 430 mm

**STANDARDS**

NF EN 13071

**sulo.com**

DATA-CITYSPOT-HUBLO-3000-EN-1-1-150322

**SULO®**